

NH₄Cl-CH₃OH: An Efficient, Acid- and Metal-Free Catalyst System for the Synthesis of Quinoxalines

Hossein Reza Darabi,* Fatemeh Tahoori, Kioumars Aghapoor, Fatemeh Taala and Farshid Mohsenzadeh

Chemistry & Chemical Engineering Research Center of Iran, Pajoohesh Blvd., km 17,
 Karaj Hwy, Tehran 14968-13151, Iran




Figure S1a. ¹H NMR of **1i** (500 MHz, CDCl₃).










Figure S1b. ¹H NMR of **1i** (500 MHz, CDCl₃).

*e-mail: darabi@ccerci.ac.ir; r_darabi@yahoo.com

Figure S2a. ^{13}C NMR of **1i** (125 MHz, CDCl_3).Figure S2b. ^{13}C NMR of **1i** (125 MHz, CDCl_3).

Figure S3a. ¹H NMR of **1j** (500 MHz, CDCl₃).Figure S3b. ¹H NMR of **1j** (500 MHz, CDCl₃).

Figure S4a. ^{13}C NMR of **1j** (125 MHz, CDCl_3).Figure S4b. ^{13}C NMR of **1j** (125 MHz, CDCl_3).




Figure S4c. ^{13}C NMR of **1j** (125 MHz, CDCl_3).








Figure S5a. ^1H NMR of **1k** (500 MHz, CDCl_3).

Figure S5b. ¹H NMR of 1k (500 MHz, CDCl₃).Figure S5c. ¹H NMR of 1k (500 MHz, CDCl₃).

**Figure S6a.** ¹³C NMR of **1k** (125 MHz, CDCl₃).**Figure S6b.** ¹³C NMR of **1k** (125 MHz, CDCl₃).




Figure S6c. ^{13}C NMR of **1k** (125 MHz, CDCl_3).








Figure S7a. ^1H NMR of **1l** (500 MHz, CDCl_3).

**Figure S7b.** ¹H NMR of **1l** (500 MHz, CDCl₃).**Figure S7c.** ¹H NMR of **1l** (500 MHz, CDCl₃).

Figure S8a. ^{13}C NMR of **1I** (125 MHz, CDCl_3).Figure S8b. ^{13}C NMR of **1I** (125 MHz, CDCl_3).




Figure S8c. ^{13}C NMR of **1l** (125 MHz, CDCl_3).