

ÍNDICE DE PALAVRAS-CHAVE - QUÍMICA NOVA, VOL. 31, 2008

- (+)-5-epi-tashiromine; 771
 (+)-isoretronecanol; 771
 1,2,4-triazoles; 536
 1-MCP; 1367
 2-MIB; 75
 2-phenylbenzotriazole-type mutagens; 401
 3-O-methyl ellagic acid-4'-O- α -L-rhamnoside; 1359
 4-hydroxy-2-mercapto-6-propylpyrimidine; 70
 4-thiazolidinone; 369
 5-deoxyflavonoids; 1349
 α -tetralols; 813
 β -carotene; 1259
 β -galactosidase; 336
 β -glucan; 1015
 β -lapachone; 413
ab initio and DFT electronic structure methods; 1750
 açaf; 1427
 acetylcholinesterase inhibitors; 1631
 acetophenones; 601
 acetylcholinesterase activity; 53
 acetylene; 1673
 acid digestion; 556
 acid hydrolysis; 1104
 acid mine drainage; 1127
 acid-base strength; 1591
 acid-base theory; 1591
 activated bauxite; 1165
 activated carbon; 1048, 1296
 active plant extracts; 1699
 acylated kaempferol glycosids; 1481
 adhesives; 1909
 adsorbent organic thin films; 1410
 adsorption; 35, 285, 1048, 1305
 adsorption isotherms; 353
 adsorption process; 518
 adulteration; 31
 advanced oxidation processes; 75, 114
 affinity partitioning; 998
 aflatoxin B₁; 514
 AIDS; 2111
 air pollution; 249, 1038, 1925
 air sampling; 1180
 air-sea exchange; 1613
 alginate; 1145
 alkaloids; 2052
 allelopathy; 493
 Alpoim; 930
 alternative adsorption; 985
 Amaryllidaceae; 2042
Amathia convoluta; 924
 aminoalcohols; 776
 amitriptyline; 1653
 ammonium ion; 1237
 amphotericin B; 591
 analgesic activity; 1747
 analytical method validation; 1285
 analytical methods; 1522
 analytical procedures; 1218
 angular momentum; 1058
 anion sensing; 2134
 anthocyanins; 1218
 anthraquinones; 1979
 antibiotics; 1807
 anticholinesterasic; 2042
 antiedematogenic activity; 744
 antifungal activity; 828
 anti-HIV drugs; 2111
 anti-inflammatory; 1738
 antimalaric chemotherapy; 1271
 antimicrobial activity; 326, 1224, 1648
 antimicrobial peptide; 822
 antioxidant; 1259, 2042
 antioxidant activity; 755, 1427, 1660, 1699, 2147
 antioxidant capacity; 2169
 antiradical capacity; 2147
 antitubercular activity; 1719
Apis mellifera; 1472
 aquatic contamination; 2020
 aquatic ecotoxicology; 1820
 aqueous dispersions; 1437
 aqueous two-phase systems; 209
 aragonite; 178
 archaeology; 1117
 argentimetric; 174
 aromadendrane-4 β ,10 α -diol; 751
 aromatic compounds; 798
 aromatic nucleophilic substitution; 1885
 arsenate; 1305
 arsenic; 1315, 1948
 arsenopyrite; 1127
 arylfurans; 261
 ascorbic acid; 1577
Aspergillus fumigatus; 1942
Aspergillus niger; 1973
 Asteraceae; 727, 1081, 1691
Astragalus corniculatus; 59
 asymmetric synthesis; 771
 atmospheric pollutants; 244
 atomic absorption spectrometry; 104
 availability; 306, 585
Azotobacter vinelandii; 1800
 babassu oil; 407
Baccharis ssp.; 727
 bacterial alginate; 1800
 bakkenolides; 937
 banana; 1367
 Bayer process; 985
Beauveria felina; 1099
 bee pollen; 1660
 benzaldehyde; 523
 benzene; 2190
 biamperometry; 1743
 bianthrone; 1979
 bibliographical research; 445
 bioaccessibility; 394
 bioaccumulation; 1089
 bioactive macrolactams; 1499
 bioanalytical methods; 1190
 bioavailability; 47, 394, 1696
 biochemical characteristics; 2118
 biochemists parameters; 1925
 biocide; 1851
 biodegradation; 1330
 biodiesel; 407, 421, 1062
 biodiesel:diesel mixtures; 421
 bio-electrochemistry; 1791
 biofixation; 1038
 biological exposure index; 1343
 biological fluids; 1814
 biological monitor; 214
 biological monitoring; 1865, 2165
 biological properties; 614
 biological samples; 637, 1094
 biomarker; 1330
 biomass; 2014
 biopolymer; 144, 384, 1800
 bioreduction; 813
 biosurfactants; 2091
 blanching; 2047
 blanket; 1843
 boron-doped diamond electrode; 1405
Bostrychia tenella; 837
 bottom ash; 199
 bovine rumen; 1990
 Brazilian academic production; 2100
 Brazilian honey; 1472
 broccoli; 530
 bupivacaine; 2152
 button cell; 1567
 butyltin speciation; 89
Byrsonima crassa; 1719
 cachaça; 1034
 cadmium; 1020, 1626
 caffeine solubility; 1319
 caffeoyl quinates; 751
 cancer; 1170
 CAPES; 2221

- capillary electrophoresis; 2124
 captopril; 349
 carbohydrate; 1738
 carbon; 2031
 carbon dioxide; 1609
 carbon quantification methods; 94
 carbon sources; 1942
 carbonate; 1843
 carbonated soft drinks; 1485
 carboxylic acids; 536
Carica papaya; 1953
 Caryophyllaceae; 1125
 casbane diterpenoid; 601
 cashew apple; 1973
 castor bean cake; 1104
 castor oil; 818
 castor oil transesterification; 2076
 catalysis; 562
 catalysts; 872
 catechin; 493
 cation removal; 144
 CCFDF/QTAIM and CCFDF/ChelpG
 absolute infrared intensities; 1750
 cellular disruption; 336
 ceramic pigment; 1004
 chaetoglobosins; 1680
Chaetomium globosum; 1680
 characterization; 1034
 characterization and stability study; 413
 chemical characterization; 523
 chemical constituents; 1691, 1987
 chemical education; 452, 1885, 2100
 chemical extractors; 1385
 chemical formalism; 1591
 chemical interesterification; 232, 330
 chemical language; 921, 1582
 chemical oxygen demand; 1641
 chemical reaction models; 1582
 chemical residues; 1595
 chemical waste management; 1595
 chemistry; 645, 1250
 chemistry learning; 1888
 chemistry teaching; 921, 1892
 chemists' education; 445
 chemometric techniques; 1121
 chemometrics; 296
 chemosensors; 2134
 Chilean papaya; 1417
 chiral enoates; 832
 chiral ligands; 735
 chitin; 2014
 chitosan; 160, 486, 1400, 1460, 2014
 chitosan microspheres; 160
 chlorination; 172, 798
Chomelia obtusa; 1987
 chondroitin; 1285
 chromatographic standards; 407
 chromatography; 623
 chromium; 676, 1450
 Chrysobalanaceae; 66
cis-hydrindanes; 781
 classroom; 2184
 classrooms demonstrations; 2199
 clays; 562
 clinoptilolite; 1237
 cloud point extraction; 70
 coal; 98
 coal plant; 25
 coffee husk; 1296
 coffee oil; 1319
 coffee waste; 1048
 colonial technology; 930
 colors of the ancients; 181
 combustion; 98
 composite electrode; 2194
 computer simulation; 377
Conchocarpus heterophyllus; 740
 conductometric titration; 349
 conformational analysis; 822
 conformational map; 280
 contamination; 1127, 2190
 convolutamydine; 924
 cooling water; 1851
Copaifera langsdorffii; 1078
 copper; 220, 1161
 copper (II); 349
 copper catalyst; 114
 copper ion; 70
 copper plating; 1843
 copper-based alloy; 154
 corrosion; 1851
 cosmetics analysis; 1755
 coumarins; 53
 covalent and non-covalent interactions; 1208
 cow; 268
 CRAC assay; 2169
 crocacin A-D; 854
 crosslinked iron(III)-chitosan; 1305
 crosslinking; 1460
Croton nepetaefolius; 601
Cryptocarya spp.; 503
 crystallization; 330
 Cu/Cu-EDTA system; 227
 cultivation type and cooking; 530
 cutinase; 2118
 cyclization; 759
 cyclodextrin; 290, 360
 cyclopropane; 1673
 cyclopropenones; 788
Cymbopogon citratus; 1476
 cytotoxicity; 20
 D2EHPA; 1230
 D-arabinose; 1710
Daucus carota; 813
 De Broglie's relation; 1869
 degradation; 61, 1476
 degradation mechanism; 1543
 delivery system; 591
 density functional theory; 1255
 deoxynivalenol; 270
 derivatization; 270
 design of experiments; 1641
 development; 2205
 dexamethasone; 1131
 dextrans; 1034
 di-caffeoylquinic acids; 767
 diesel; 2027
 diesel blending; 1062
 dietary products; 1743
 differential pulse voltammetry; 1310
 diphenylamine; 569
 diphosphine; 807
 dipole interaction; 1058
 disaccharide conformation; 280
 displacement reaction; 1582
 dithiocarbamic acid; 1714
 diuretics; 44
 dose-response relationship; 1820
 DRIFT; 1621, 2071
 drug analysis; 637
 drugs; 1755, 1814
 dry material; 949
 DSC; 2060
dual-site; 1199
 dyes; 1353
 ECN 42 triacylglyceride content; 31
 EDTA titration; 227
 education; 174
 Elaeocarpaceae; 1359
 elaiosome; 475
 e-learning; 445
 electrical conductivity; 2065
 electrical insulator; 340
 electroanalysis; 123, 2194
 electrochemistry; 220
 electrocrystallization; 1150
 electrodeposition; 1444
 electrolysis; 123
 electrolytic treatment; 508
 electron stimulated ion desorption; 61
 electronic spectroscopy; 254
 electronic structure; 433
 electrophilic reaction; 1243
 electrophilicity; 1255
 electrorepulsion; 1490
 electrospray ionization; 2124
 emissions; 539
 enantioselective total synthesis; 854
 encapsulation; 676
 endophytic fungus; 1680
 energy; 645

- environment; 688
 environmental pollution; 340
 enzymatic biosensor; 1791
 enzymatic catalysis; 377
 enzymatic inhibition; 1791
 enzyme inhibitors; 1710
 epistemology; 1875
 epoxidation; 818
 equilibrium data; 209
 Escola Superior de Agricultura “São Bento”; 709
 essential oil; 503, 605, 1476, 1648
 essential oil composition; 727, 1081
 esters; 1367
 ethanol; 1073, 1104
 ethyl carbamate; 1860
 ethylene; 1673
 etoricoxib; 574
Eucalyptus urograndis; 1085
Euterpe precatoria; 1427
 excited state absorption; 2083
 extraction; 1422
 extraction technique; 1371
 extractor; 949
 extrusion; 84, 1990
 ezetimibe; 1121
- Fabaceae; 59
 factorial design; 975, 1073
 fast sequential FAAS; 1784
 fat formulation; 238
 fatty acid esters of triterpenes; 2056
 fatty acids; 475, 956, 1078, 1609
 fecal sterols; 1008
 Fenton process; 1145
 Fenton reagent; 985
 fermentation; 1807
 ferric chloride; 1296
 figures of merit; 164
 filter furnace atomic absorption spectrometry; 1626
 filtration; 312
 fixed-dose combination; 969
 flavonoids; 59, 802, 1125, 1378
 flour; 498
 flow analysis; 427
 flow injection turbidimetry; 1653
 fluorescence; 1324
 fluoride; 317
 fluoroquinolone; 1831
 fluoxetine; 1665
 fly ash; 199
 folates; 530
 food; 623
 formaldehyde; 249
 fortified foods; 546
 foundation; 1898
 fragmentation studies; 840
- frozen storage; 2047
 fruits juices; 2169
 frying; 956
 FT-IR; 2060
 fuel cells; 551
 fuel ethanol; 1626
 fuels; 539, 980
 fulvic acid; 1324
 fungal metabolites; 1807
Fusarium oxysporum; 1670
- gamma radiation; 1043
 gas chromatography; 539, 956, 1953
 gas-liquid chromatography; 610
 gatifloxacin; 1831
 GC; 1422
 GC-MS; 1860
 gel; 486
 genotoxic environmental contaminants; 401
 geosmin; 75
 glass transition; 384
 glucosamine; 1285
 glucose-6-phosphate dehydrogenase; 998
 glucosyltransferase; 134
 glutathione; 1170
 glycerolysis; 1514
 glycosyl donors; 1027
 glycosylated amino acids; 1027
 glycosylation reaction; 1027
 glyphosate; 5, 220
 glyphosate-resistant soybean; 5
 gold electrode; 1067
 government incentives; 1912
 grape juice; 1948
 graphite furnace; 104
 graphite-epoxy composites; 2194
 green tea; 317
 groundwater; 1836
 Guanabara Bay; 1613
 guanidine alkaloids; 802
 guapuruvu; 1349
Guettarda pohliana; 755
 Guettardeae; 1987
 gunpowder; 930
Gypsophila trichotoma; 1125
- H₂O₂; 1353
 halobenzenes; 1255
 harmaline; 204
 heat; 1881
 heavy metals; 949, 1696
 hematite; 1117
 herbicides; 79
 heterocycles; 1710
 heterogeneous system; 818
 high performance liquid chromatography; 1665
- high-performance liquid chromatography; 417
 high school Chemistry; 452
 high-energy attrition mill; 962
 higher education; 1250
 historical of malaria; 1271
 history of chemistry; 181, 709
 history of technology; 2214
 HNS; 1431
 HPLC; 47, 969, 1137, 1343, 2152
 HPLC analysis; 1378
 HPLC-DAD; 1865
 humic acid; 1324
 humic substances; 1733
 humification; 1994
 Humphry Davy; 181
 hybrid support; 35
 hydantoin; 614
 hydrazinophthalazine; 536
 hydrocarbon polycyclic aromatics; 1089
 hydrocarbons; 2009
 hydrotalcite; 1290
 hydroxymethylnitrofurazone; 290
Hyptis pectinata; 1648
- identification; 1218
 image analysis; 1485
 immobilized cells; 134
 immobilized iron; 1145
 impact factor; 2221
 impurities; 1686
 inactivation; 2047
 inclusion complex; 290, 360
 indole alkaloids; 20
 indomethacin; 1966
 indoor; 249
 industrial applications; 2118
 infrared spectroscopy; 1573
 infusion; 317
 initial formation; 694
 initial teacher education; 2174
 innovation; 2205
 inorganic constituents; 1533
 inorganic contamination; 975
 inorganic interferences; 1641
 inorganic polymer; 144
 institutions of higher education; 1595
 insulating mineral oil; 1165
 internal standard; 2190
 internship; 694
 intramolecular Friedel-Crafts acylation reaction; 763
 invariance; 1881
 iodine; 914
 iontophoresis; 1490
Ipomoea subincana; 751
 iron; 585, 1117
 iron oxide; 430, 518, 1467, 1636

- isatin; 924
isoflavones; 1933
isomaltulose; 134
isosteric heat; 1417
isothiocyanates; 1953
isotopic analysis; 1562
- J. Braz. Chem. Soc.; 2221
jabuticaba; 595
juice; 1137
- kefir; 1738
kerosene classification; 1573
kinetics; 98, 569
Kohonen neural network; 1141
- laboratory waste; 1892
Lactuca sativa L.; 1670
lapachol; 759, 1670
Läüe back-reflection method; 154
Lauraceae; 503, 605
LC-APCI/MS/MS; 574
leaching/solubilization; 1301
lead; 579
lead in soils; 394
lecithin; 910
lecturers' actions and conceptions; 2174
Licania tomentosa; 66
LIF; 1994
ligands; 872
light fraction; 1733
lignin; 2035
lipase; 35, 1514
lipid nanoemulsion; 591
liquid core waveguide; 427
liquid-phase microextraction; 637
local anesthetic; 1775
long pathlength spectrophotometry; 427
L-selectride®; 793
luminescence spectroscopy; 1755
L-value; 1020
- Mabea fistulifera*; 475
macrocycles; 655
macrocyclization; 1499
magnesium; 306
malaria; 1271
MALDI TOF mass spectroscopy; 2076
malondialdehyde; 275
mannitol; 776
marine red alga; 837
marine-derived fungi; 1099
Marlierea tomentosa; 1747
mass spectrometry; 669, 767, 1562, 2124
master curve; 384
media and television; 1875
medium ring lactones; 885
meeting; 1898
- melting point; 238
membrane; 1775
mercury; 321
metal contamination; 10
metal recovery; 680, 1567
metallocene; 1199
metalloporphyrin biomimetic reaction; 767
metals; 25, 285, 353
methodology; 270, 514
methyl ethyl ketone; 2165
microalga; 2031
microalgae; 1038, 1609
microcolumns for chromatography; 1410
microencapsulation; 1400
microparticles; 1966
microwave; 562, 1553
mid-infrared spectroscopy; 421
milk; 268
milk whey; 1937
milkfat; 1960
minerals; 41
mixed oxide; 1290
mobile sources; 244
modern atomic theory; 1869
modified lipids; 1960
moisture content; 901
molecular; 2184
molecular modeling; 261
molecular models; 921
molecular recognition; 360
molecular spectroscopy; 1750
molecular weight distribution; 1199
monocrystal growth; 906
monoglycerides; 1514
monoterpene; 735
morin; 1472
Morse's potential curve; 914
Mössbauer spectroscopy; 430, 1467
multielement AAS; 1784
multivariate calibration; 254, 1621
- N*-acetylglucosamine derivatives; 326
NaC–SDoD mixed micelles; 2065
naked eye detection; 2134
nanocapsules; 1131, 1966
nanocomposite; 962
nanoparticles; 1131
nanotechnology; 2205
natural products; 837, 885
near-infrared diffuse reflectance; 700
nebulizer-hydride generation; 1315
Nef reaction; 832
neural networks; 1141
new drugs; 2111
N-heterocyclic carbenes; 872
nickel phytoavailability; 990
nickel-phosphorous; 1150
niobia; 1636
- niobium oxide; 518
niobium pentachloride; 763
nitrogen dioxide; 551
nitrogenated nucleophiles; 1885
nitrous oxide; 1613
NMR; 807, 1058, 1085, 1856
N-nitrosothiazolidine carboxylic acid; 1067
non-polluting systems; 1437
norisoprenoids; 2056
normalization; 10
novel antibiotics; 854
nuclear analytical techniques; 1094
nutrient adsorption; 1156
nutrient content; 556
- octalin; 781
octalones; 793
olefins; 655
oligosaccharide; 1015
olive oil; 31
on-line solid-phase extraction; 574
optical spectroscopy; 2199
organic electrochemistry; 788
organic mechanism teaching; 1243
organic solvent exposure; 1865
organic solvents; 1343
organochlorines; 214
organofunctionalized silica; 285
organophosphates; 1631
origins of life; 1599
ornamental rock; 1301
oscillations; 1444
Otto-cycle engine; 980
oxidation; 1636
oxidative stability; 1053
oxidative stress; 275, 1170
oxygenated additive; 980
ozonation; 312
ozonized theobroma oil; 610
- PAHs; 1371
palladium; 1094
palmitic acid; 1722
para-chloroaniline; 172
partial acid hydrolysis; 1015
participatory research; 1263
passive biomonitoring; 1925
Pb-Sr isotopes; 1836
PBTAs; 401
PCA; 1485, 1727
p-chloranil; 1112
Peltodon radicans; 744
peptide sequencing; 669
periodic table; 1141
Pernambuco; 709
peroxidase; 731
peroxides index; 610
pesticide; 5, 1310, 1982

- PETN; 2060
 petroleum refining; 1553
 pharmaceutical analysis; 1831
 pharmaceutical R&D; 1912
 phenol oxidation; 114
Phialemonium sp.; 1942
 phosphate; 579, 704
 phosphatidylcholine; 910, 1856
 phosphorus sorption; 1467
 phosphorylation; 84
 photochemical reactor; 2156
 photodegradation; 1310
 photoelectrochemical process; 1362
 photopolymerization; 2156
Phyllomedusa distincta; 822
 Physical chemistry; 1901, 1909
 physicochemical characterization; 340
 physico-chemical methods; 296
 phytosterols; 1960
 Piaui; 479
 Piracicaba River basin; 214
 plant extracts; 1224
 plasma polymerization; 1410
 plastic packaging; 1522
 PLGA nanospheres; 2152
 POA; 1353
 pollution; 1089, 1385, 2020
 poly(styrene sulfonate); 2004
 poly(vinyl alcohol); 1460
 polyethylene; 1043
 polymer dissolution; 1533
 polymeric materials; 1543
 polymeric precursor; 1706
 polymers; 1533
 polymorphism; 178
 polypyrrole films; 61
 polystyrene post-consume; 2004
 polytechnic education; 452
 polyurethane; 1437, 2076
 porous beads; 160
 Portuguese Empire; 2214
 potentiometry; 227
Povedadaphne quadriporata; 605
 prato cheese; 1621
 prebiotic chemistry; 1599
 preparation methods; 369
 pre-service teaching in chemistry; 2174
 primary processing; 1553
 primary sanitary effluent; 312
 principal component analysis; 1107, 1997
 produced water; 1237
 productivity; 1073
 projection spectrograph; 2199
 projects; 1250
 propolis; 479
 protein hydrolysates of meat; 41
 proteomic analysis; 669
 protonation site; 840
 psoralen; 1392
 Pt ultramicroelectrode; 1150
Pterogyne nitens; 802
 pump-probe technique; 2083
 purification; 910
 purification procedure; 731
 purified water for hemodialysis; 975
 purity determination; 1856
 Py-GC-MS; 1543
 pyranoflavones; 740
 pyrazolyl transition metal compounds; 1208
 pyrene fluorescence; 2065
 pyrolysis; 2035

Qualea grandiflora; 1481
 Qualis; 2221
 quality control; 44
 quantification; 1431
 quantum chemistry; 1243
 Quantum Monte Carlo; 433
 Quim. Nova; 2221

 radical carbocyclization; 1499
 Raman spectroscopy; 1901
 rare earth; 962
 reaction mechanism; 377
 reactivity; 369, 614, 788
 recovery index; 556
 recycling programs; 688
 red wine; 296
 redox speciation; 1450
 reduced sulphur compounds; 1180
 reduction; 793
 reflective teaching; 1888
 Reformatsky reaction; 735
 relativistic effects; 1869
 remediation; 579
 residues; 174
 resonance Raman; 914
 retention of metals in the sediment; 1107
 retinol; 268
 reuse of treated wastewater; 1362
 rheological characteristics; 84
 rheology; 486
 riboflavin; 546
 ring-closing metathesis; 655
 river water; 79
 RNA world; 1599
 room-temperature phosphorescence; 204
 RP-HPLC; 1933
 Rutaceae; 2052
 ruthenium; 807

 S/G ratio; 2035
 saccharin; 1743
 salts; 209
 sample mineralization; 1336
 sampling of particulate matter; 2027
 sampling of volatile organic fraction; 2027
 Santos Bay; 1008
 saponins; 828
 SBQ; 1898
 scanner; 1577
Schizolobium parahyba; 1349
 science in Brazil; 2214
 science insights; 1875
 scientific communication; 1263
 screening; 1099
 screening methods; 1224
 sediment; 10, 89, 1008, 1371, 2020
 selective heavy atom effect; 204
 selective ion monitoring; 1062
 selenium; 1315
 self-organization; 1444
 semi-arid zones; 1107
Senecio crassiflorus var. *crassiflorus*; 1081
Senna reticulata; 1979
 sequential extraction; 1385
 sequential injection; 704
 sesquiterpenes; 937
 sewage sludge; 990, 1020
 sildenafil citrate; 1112
 silica; 1004
 SIMCA model; 1573
 simultaneous determination; 1784
 simvastatin; 1121
 single crystal orientation; 154
 single-base; 569
 singlet oxygen; 1392
Sloanea garckeana; 1359
 smokeless; 301
 sodium; 1948
 sodium cyclamate; 1405
 sodium lauryl sulphate; 1653
 sodium sulfacetamide; 1455
 soil; 25, 990, 1450
 soil organic matter; 94
 solid propellants; 301
 solid sampling; 104
 solid waste; 645, 1301
 solid-state fermentation; 1973
 solution calorimetry; 1455
 solvent effects; 1392
 solvent extraction; 1230, 2159
 sonification; 336
 sorption isotherms; 1417
 soybean oil; 527
 spectrophotometry; 704, 1112, 1577, 1933
 spent catalysts; 680
 spices; 514
Spirulina sp LEB-18; 2031
 SPME; 79
 SPME-GC-FID; 2165
 spot test; 731
 spreadsheet; 164
 square-wave voltammetry; 1405

- stability; 275
 starch; 1043
 state of the art; 2100
 stationary phases; 417
 statistical analysis; 1330
 statistical central composite design; 1378
 statistical evaluation; 94
 stavudine; 1686
 stereoselective conjugate addition; 832
 stimulated emission; 2083
 stir-bar sorptive extraction (SBSE); 1814
 stochastic methods; 433
 stratification ratio; 1733
 stripping voltammetry; 1336
 structural studies; 906
 structured lipid; 232, 238, 330
 sugar cane spirit; 1860
 sulfamethoxazole-trimethoprim; 254
 sulfitation; 595
 sulfonamide complexes; 1161
 sulfoxine; 1400
 sulfur dioxide; 551
 sunflower oil; 1053
 supercritical carbon dioxide; 1319
 supercritical fluid extraction; 1699
 supramolecular architectures; 1208
 surface-active compounds; 2091
Swartzia langsdorffii; 828
 swine wastewater; 1156
 synthesis of 1-indanones; 763
 synthesis; 178, 885

Tabernaemontana catharinensis; 20
Tachigali myrmecophyla; 493
 Tamoxifen; 47
Tanaecium nocturnum; 523
 tandem mass spectrometry; 623
Tapirira guianensis; 2056
 Taxol; 1912
 TBHQ; 1053
 teacher training; 1888
 teaching activity; 700
 teaching practice; 694
 terpenoids; 1078
 textile effluents; 1362
 thallium salts; 759
 thallium trinitrate; 781
 themal analytical; 1714
 theoretical calculations; 840
 theoretical prediction; 1982
 thermal analysis; 301, 527, 1722
 thermal behavior; 1714
 thermoanalytical techniques; 901
 thermodynamics; 1909
 thermodynamics of solutions; 1901
 thermogravimetric analyses; 417
 thermogravimetry; 1722
 thiamin; 546
 thin films; 1706
 thin layer chromatography; 44
 Tibagi River; 1727
 TIMS; 1836
 TiO₂; 1353
 tissues of *Corbicula fluminea*; 1696
 titanium; 1230
 titanium dioxide; 1706
 titanosilicates; 321
 TLC; 1259
 TNT; 1431
 Todos os Santos Bay; 89
 topic and transdermal delivery; 1490
 total nitrogen; 700
 total synthesis; 937
 toxicity tests; 1820
 trace analysis; 1180
 trehalose conformation; 280
 triacylglycerol composition; 232
 trichloroisocyanuric acid; 172, 798
Triphasia trifolia; 53
 triterpene lactone; 66
 triterpenes; 744, 1719, 1747
 triterpenoid saponins; 755
 tropical wood; 2071
 trypanocidal activity; 740
 trypanothione reductase; 261
 tuberculosis; 776
 two-phase aqueous micellar systems; 998

 ultrasound; 123
 ultraviolet crosslinker; 2156
 undergraduate education; 1263
 uranium; 2159
 uranium hexafluoride; 1562
 urban activities; 1997
 urban air quality; 2009
 UV radiation; 1336
 UV spectrophotometry; 1665
 uvarovite; 1004
 validation; 164, 498, 969, 1190, 1422
 van't Hoff method; 1455
 vegetable oils; 527
 vehicular emission; 244, 2009
Vernonia chalybaea; 1691
 Verruga Stream; 1997
 veterinary residues in food; 1190
 visualization; 2184
 vitamin; 498
 vitamin C; 1137
 vitamins; 41
 V-Mg-Al catalyst; 1290
 Vochysiaceae; 1481
 volatile compounds; 479, 1990
 volatiles; 1522
 voltage-gated sodium channel; 1775
 voltammetry; 1067

 waste characterization; 199
 waste disposal; 688
 waste management; 680, 1567, 1892, 2159
 waste recycling; 1165
 wastes; 676
 water; 1631
 water activity; 901
 water contamination; 1982
 water disinfection; 508
 water quality; 508, 1727
 water treatment; 2004
 water-soluble derivative of rutin; 2147
 weathering; 2071
 whole soil; 1994
 wine legislation; 595
 work; 1881

 xanthan gum; 1937
Xanthomonas campestris; 1937
 X-ray; 906
 X-ray diffraction; 430
 xylans; 1085

 yeast; 2091

Zanthoxylum tingoassuiba; 2052
 zeolites; 1156
 zinc; 306, 585, 1161
 zirconsilicates; 321
 Zr/Ti -pillared clay; 353